
# Random access delay in a Quiz



An example of random access delay

#### Overview:

This guide will show you what the function of random delay access works.

### What to know:

This function can decrease the system pressure in high concurrency situation, such as exams in big classes, in order to provide a smooth Quiz experience to students.

# Table of Contents


Step 1: Edit the Quiz settings

Step 2: Enable 'randomly access delay' function

How it works for students?

### Step 1: Open the quiz settings

Click the 'Settings' tab of a Quiz activity.



## Step 2: Enable 'randomly access delay' function

In the section of 'Extra restrictions on attempts', you need to enable the setting 'set a random access delay'.

This setting is disabled by default.



### How it works for students?

After enabling this setting, students will get a random access delay when they attempt the quiz.

Each students will get a random delay time, which is 2 minutes in maximum.

This function can decrease the system pressure in high concurrency situation, such as exams in big classes, in order to provide a smooth Quiz experience to students.



Quiz Question bank

**Opens:** Friday, 5 January 2024, 11:19 AM **Closes:** Friday, 5 January 2024, 11:58 AM

Attempts allowed: 1

Your turn for this quiz will start in about



Please wait here

Attempt quiz now

 $On line\ URL:\ https://knowledgebase.xjtlu.edu.cn/article/random-access-delay-in-a-quiz-335.html$